## ATENT COOPERATION TRL. .TY

From the	INTER	NATIONAL	RURFALL
TOTTI LITE	114 1 1 11		ひひいにへひ

#### **PCT**

#### **NOTIFICATION OF ELECTION**

(PCT Rule 61.2)

To:

United States Patent and Trademark Office (Box PCT) Crystal Plaza 2

in its capacity as elected Office

Washington, DC 20231 ÉTATS-UNIS D'AMÉRIQUE

Date of mailing (day/month/year)
03 March 1999 (03.03.99)

03 March 1999 (03.03.9

PCT/SE98/01238

International filing date (day/month/year)

25 June 1998 (25.06.98)

Applicant's or agent's file reference 109417 ARe

Priority date (day/month/year) 03 July 1997 (03.07.97)

**Applicant** 

OLOFSSON, Ulla et al

	X in the demand filed with the Internat	tional Preliminary Examining Authority on:	
	1	6 January 1999 (16.01.99)	-
	in a notice effecting later election file	ed with the International Bureau on:	
-			•
	The election X was was not		
	made before the expiration of 19 months fi Rule 32.2(b).	rom the priority date or, where Rule 32 appl	lies, within the time limit under

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

**Dominique DELMAS** 

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

## PATENT COOPERATION TREATY

# **PCT**

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Andiente er agente filo reference		
Applicant's or agent's file reference 109417 ARe	FOR FURTHER ACTION	See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)
International application No.	International filing date (day/monti	h/year) Priority date (day/month/year)
PCT/SE98/01238	25/06/1998	03/07/1997
International Patent Classification (IPC) or na A61F13/15	ational classification and IPC	
Applicant		
SCA HYGIENE PRODUCTS AB et	al.	
This international preliminary examand is transmitted to the applicant.	nination report has been prepare according to Article 36.	d by this International Preliminary Examining Authority
2. This REPORT consists of a total of	f 4 sheets, including this cover s	heet.
been amended and are the ba	ed by ANNEXES, i.e. sheets of the sis for this report and/or sheets of the Administrative Instruct	ne description, claims and/or drawings which have containing rectifications made before this Authority ions under the PCT).
These annexes consist of a total o	f sheets.	
This report contains indications relations.	ating to the following items:	
I ⊠ Basis of the report		
II □ Priority		
•	opinion with regard to novelty, in	ventive step and industrial applicability
IV ☐ Lack of unity of inventi		•
	under Article 35(2) with regard to ions suporting such statement	novelty, inventive step or industrial applicability;
VI   Certain documents cit	ted	
VII   Certain defects in the	international application	
VIII   Certain observations of	on the international application	
Date of submission of the demand	Date of	completion of this report
16/01/1999		0 6. 07. 99
Name and mailing address of the internation	al Authori	zed officer
preliminary examining authority:  European Patent Office  D-80298 Munich	Auer,	TI (1974)
D-80298 Munich Tel. (+49-89) 2399-0 Tx: 52369	56 epmu d	" \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Fax: (+49-89) 2399-4465	Telepho	one No. (+49-89) 2399 2054

#### INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

International application No. PCT/SE98/01238

I.	Basi	s of	the	re	port
----	------	------	-----	----	------

1. This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to

	the	report since they o	do not contain amendments.):
	Des	scription, pages:	
	1-1	4	as originally filed
	Cla	ims, No.:	
	1-1	1	as originally filed
	Dra	wings, sheets:	
	1/2	-2/2	as originally filed
2.	The	amendments hav	e resulted in the cancellation of:
		the description,	pages:
		the claims,	Nos.:
		the drawings,	sheets:
3.			een established as if (some of) the amendments had not been made, since they have been beyond the disclosure as filed (Rule 70.2(c)):
4.	Ado	litional observatior	ns, if necessary:

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/SE98/01238

- V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N)

Yes:

Yes:

Claims 1-11

No: Claims

Inventive step (IS)

Yes: Claims 1-11

No: Claims

Industrial applicability (IA)

Claims 1-11

No: Claims

see separate sheet

2. Citations and explanations

# INTERNATIONAL PRELIMINARY International application No. PCT/SE98/01238 EXAMINATION REPORT - SEPARATE SHEET

#### ad V:

1. Most relevant prior art document is cited in the description which discloses a liquid permeable cover sheet.

The problem of the invention is to obtain a stable hydrophilic surface, i.e. a surface which remains hydrophilic even after repeated wetting. ion). The solution is given by the combination of features of claims 1 and 8, i.e. in particular that polyethylene has been selected and been treated with corona or plasma.

There is no hint for this solution in the documents cited in the search report. which disclose only technological background.

Claims 1 and 8 are, therefore, in line with Articles 33(2) and (3) PCT.

2. The subject-matter of the dependent claims contain further embodiments of the invention and is also in combination with the independent claims novel and inventive (Articles 33(2) and (3) PCT).

	For t	receiving Office use only
PCT		<b>5</b>
	International Application	ı No.
REQUEST		-
140251	International Filing Date	
The undersigned requests that the present		
international application be processed	Name of receiving Office	e and "PCT International Application"
according to the Patent Cooperation Treaty.	Applicant's or agent's fil	e reference
	(if desired) (12 characters	
Box No. I TITLE OF INVENTION  LIQUID-PERMEABLE COVER SHEET FOR AE	SORBENT ARTICLE	
Box No. II APPLICANT		
Name and address: (Family name followed by given name; for a legal e The address must include postal code and name of country. The country of Box is the applicant's State (i.e. country) of residence if no State of reside	ntiry, full official designation of the address indicated in this ence is indicated below.)	This person is also inventor.
SCA Mölnlycke AB		Telephone No.
S-405 03 GÖTEBORG		Facsimile No.
Sweden		
		Teleprinter No.
State (i.e. country) of nationality:	State (i.e. country) of re	
SE		SE  United States
This person is applicant all designated for the purposes of:		America only the States indicated in the Supplemental Box
Box No. III FURTHER APPLICANT(S) AND/OR (FURT	HER) INVENTOR(S)	
Name and address: (Family name followed by given name; for a legal e The address must include postal code and name of country. The country of		This person is:
Box is the applicant's State (i.e. country) of residence if no State of reside	nce is indicated below.)	applicant only
OLOFSSON Ulla		X applicant and inventor
Myrvägen 22 S-430 94 BOHUS-BJÖRKÖ		
Sweden		inventor only (If this check-box is marked do not fill in below.)
State (i.e. country) of nationality:  SE	State (i.e. country) of re	sidence: SE
This person is applicant all designated all designate	Common on sopi	United States the States indicated in the Supplemental Box
for the purposes of: States the United S  X Further applicants and/or (further) inventors are indicated of		
Box No. IV AGENT OR COMMON REPRESENTATIVE	<del></del>	ORRESPONDENCE
The person identified below is hereby/has been appointed to act of	n behalf v a	gent common representative
of the applicant(s) before the competent International Authorities  Name and address: (Family name followed by given name; for a legal e	۵	Telephone No.
The zedress must include postal code and name of		
	f cowary.)	+46 31 600 100
GRAUDUMS Valdis, MOSSMARK Anders, KRISTIANSEN Alf P., HARRISON Michael, R	j cowury.)	+46 31 600 100 Facsimile No.
GRAUDUMS Valdis, MOSSMARK Anders, KRISTIANSEN Alf P., HARRISON Michael, R ANDERSSON Per	j cowury.)	
GRAUDUMS Valdis, MOSSMARK Anders, KRISTIANSEN Alf P., HARRISON Michael, R	j cowury.)	Facsimile No.

SWEDEN

Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

See Morre to the request form

Sheet No.  $\ldots 2 \ldots$ 

Continuation of Box No. III FURTHER APPLICANTS AN	D/OR (FURTHER) INVEN	TORS
If none of the following sub-boxes is used,	this sheet is not to be included	l in the request.
Name and address: (Family name followed by given name: for a legal en The address must include postal code and name of country. The country of Box is the applicant's State (i.e. country) of residence if no State of resident CHRISTIANSEN Karin  Assedalsgatan 4 S-511 63 SKENE Sweden	nity, full official designation. the address indicated in this ce is indicated below.)  T	This person is:  applicant only  Applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)
State (i.e. country) of nationality:	State (i.e. country) of residen	100
SE SE	State (i.e. cominy) of residen	SE
This person is applicant for the purposes of:  all designated the United States all designated the United States	States except the Unite tes of America X of America	ed States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal ent The address must include postal code and name of country. The country of a Box is the applicant's State (i.e. country) of residence if no State of resident CHIHANI Thami Råda Portar 7 S-435 32 MÖLNLYCKE Sweden	ity, full official designation. he address indicated in this re is indicated below.)  The state of the state	applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)
State (i.e. country) of nationality:	State (i.e. country) of residen	
SE	States except the United	SE d States   the States indicated in
This person is applicant all designated for the purposes of:  States all designated the United States		ca only the Supplemental Box
Name and address: (Family name followed by given name: for a legal ent The address must include postal code and name of country. The country of to Box is the applicant's State (i.e. country) of residence if no State of residence		applicant only applicant and inventor inventor only (If this check-box is marked, do not fill in below.)
State (i.e. country) of nationality:	State (i.e. country) of residence	ce:
This person is applicant all designated for the purposes of:  all designated the United States the United States		
Name and address: (Famil: name followed by given name: for a legal enti- The address must include postal code and name of country. The country of the Box is the applicant's State (i.e. country) of residence if no State of residence	y, full official designation. e address indicated in this is indicated below.)  Th	applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)
State (i.e. country) of nationality:	State (i.e. country) of residence	2:
This person is applicant for the purposes of:  all designated the United States all designated the United States		
Further applicants and/or (further) inventors are indicated on	another continuation sheet.	

Dan N	v	DESIGNATION OF STATES			
Box No	ı. v	g designations are hereby made under Rule 4.9(a) (ma	rk the	applic	cable check-boxes; at least one must be marked):
			-		
Region	al Pat	tent	161	eca.L	MW Malawi SD Sudan SZ Swaziland. UG Uganda
Ø	•	7311 7:	iculik	Juliu	o. MW Malawi, SD Sudan, SZ Swaziland, UG Uganda, of the Harare Protocol and of the PCT
X	EA I	Eurasian Patent: AM Armenia, AZ Azerbaijan, I Moldova, RU Russian Federation, TJ Tajikistan, TM	BY B I Tur	kmeni	istan, and any other State which is a Contracting State
X	EP	European Patent: AT Austria, BE Belgium, CH an ES Spain, FI Finland, FR France, GB United Kingdon NL Netherlands, PT Portugal, SE Sweden, and any	other	State	erland and Liechtenstein, DE Germany, DK Denmark, ce, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, which is a Contracting State of the European Patent
		GA Gabon, GN Guinea, ML Mail, MR Mauriaina, which is a member State of OAPI and a Contracting Son dotted line)	tate	of the	Republic. CG Congo, CI Côte d'Ivoire, CM Cameroon. SN Senegal, TD Chad, TG Togo, and any other State PCT (if other kind of protection or treatment desired, specify
NI- at	, n n	stent (if other kind of protection or treatment desired,	speci	fy on	dotted line):
	ai Pa	Albania	$\square$	LT	Lithuania
[X	AL	Armenia	$\overline{\square}$	LU	Luxembourg
ᄶ	A.VI	Austria	$\overline{\boxtimes}$		Latvia
図	ΑÏ	Austra	図		Republic of Moldova
$\boxtimes$		Australia		MG	Madagascar
X	ΑZ	Azerbaijan		MK	The former Yugoslav Republic of Macedonia
X		Bosnia and Herzegovina	571		
$\boxtimes$		Barbados	図	MN	Mongolia
$\boxtimes$	BG	Bulgaria	_		Malawi
$\boxtimes$	BR	Brazil	<b>8</b> 7	IAT AA	Mexico
$\boxtimes$	BY	Belarus			
X		Canada			Norway New Zealand
	CH:	and LI Switzerland and Liechtenstein			Poland
□ ⊠	CN	China		PL	Poland
X	CU	Cuba		PT	Portugal
	CZ	Czech Republic	<b>8</b>	RO	
[X]	DE	Germany		RU	Russian Federation
	DK	Denmark	$\mathbf{x}$	SD	Sudan
	FF	Estonia		SE	Sweden
	ES	Spain	$\mathbf{z}$	SG	Singapore
	FI	Finland	囚	SI	Slovenia
		United Kingdom	$\boxtimes$	SK	Slovakia
1		Georgia	$\boxtimes$	SL	Sierra Leone
		Ghana	$\boxtimes$	TJ	Tajikistan
			<b>8</b>	TM	Turkmenistan
		Gambia Guinea-Bissau	<b>©</b>	TR	Turkey
X	GW	Unitica-Dissau	$\overline{\mathbb{Z}}$	TT	Trinidad and Tobago
		Hungary	<b>8</b>	UA	Ukraine
X	ID	Indonesia	8	UG	Uganda
	IL.	Israel		US	United States of America
N X	IS	Iceland	ب		
	JP	Japan	X	UZ	Uzbekistan
	ΚŒ	Kenya	⊠ ⊠	VN	Viet Nam
	KG	Kyrgyzstan	XI	VII	Yugoslavia
	KP		XI	710	Zimbabwe
	KR	Republic of Korea	Ch	eck-bo	oxes reserved for designating States (for the purposes of
	ΚZ	Kazakhstan	aп	ationa	patent) which have become party to the PCT after of this sheet:
	LC	Saint Lucia	_		
N N	LK	Sri Lanka			
	LR	Liberia	Ц	• • • •	
1 -					Lish would be remitted
1- 6	44:42	on to the designations made above, the applicant also	mak	es und	er Rule 4.9(b) all designations which would be permitted
l unde	er the I	PC I except the designation(s) of			that any designation which is not committee
The	applic	ant declares that those additional designations are subjection of 15 months from the priority date is to be	regar	ded as	irmation and that any designation which is not confirmed withdrawn by the applicant at the expiration of that time designation and the payment of the designation and confirmation
1 1::		E	,,,	ig inai	
fees.	Confin	nation must reach the receiving Office within the 15-month time li			See Notes to the request for

Sheet	No		4		
Sheer	110.	٠			

Box No. VI PRIORITY CI	LAIM	, Fur	ther priority cla	ims are indicated in	the Supplemental Box
The priority of the following ea	arlier application	n(s) is hereby claimed	l:		
Country (in which, or for which, the application was filed)	Fili	ng Date		cation No.	Office of filing  'only for regional or international application)
item (1)	03.07. 3 July		970257		
36	3 July	1991	970237	2-0	
item (2)					
item (3)					
Mark the following check-box if the capplication is the receiving Office (a)  The receiving Office is he Bureau a certified copy of	fee may be require	d):			poses of the present international
Box No. VII INTERNATIO	NAL SEARCH	ING AUTHORITY			
Choice of International Searc	ching Authorit	y (ISA) (If two or modicate the Authority choice	re International Sten; the two-letter	earching Authorities code may be used):	SA <u>L</u> SE
Earlier search Fill in where a see out or requested and the Authority is such search or request either by refu Country (or regional Office): SE	now requested to erence to the relev Date (do	base the international se	earch, to the extent	possible, on the result	s of that earlier search. Identify e secrch request:
Box No. VIII CHECK LIST					
This international application the following number of sheet 1. request : 4 2. description : 14	ts: sheets	1. X separate spower of	signed attorney eneral	5. fee cald	em(s) marked below: culation sheet e indications concerning
·	sheets sheets	power of	explaining	nucleot	ed microorganisms ide and/or amino acid ce listing (diskette)
5. drawings : 2	sheets	identified	ocument(s) in Box No. VI	8. X other (s	Copy of ITS-
	sheets	as item(s)			tion, English trans
		r) should accompany	une abstract whe	n it is puonsned.	
	F APPLICAN		Lish she	e life such consoin in	aminus from reading the request!
Next to each signature, indicate the name Göteborg, 2	e of the person sign		nun ine person sign	э ну эмся сараси <u>,</u> и <i>по</i> .	Transfer Transfer Transfer
Anette Romar	re				
		For receiving Of	fice use only —		2. Drawings:
Date of actual receipt of the printernational application:					
<ol> <li>Corrected date of actual received papers or dra the purported international ap</li> </ol>	wings completing	ut ng			received:
<ol> <li>Date of timely receipt of the corrections under PCT Articl</li> </ol>	e l'1(2):				not received:
<ol><li>International Searching Authorspecified by the applicant:</li></ol>	ISA /	6.	Transmittal until search	of search copy dela- fee is paid	yed
Date of receipt of the record cop by the International Bureau:		For International Bu	reau use only 🗕		

## INTERNATIONAL SEARCH REPORT

International application No. PCT/SE 98/01238

		101/32 30/	
A. CLASS	SIFICATION OF SUBJECT MATTER	······································	
According to	A61F 13/15 o International Patent Classification (IPC) or to both na	ational classification and IPC	
	OS SEARCHED	<del></del>	
Minimum d	ocumentation searched (classification system followed by	classification symbols)	
	A61F, B29C, H05H		
Documentat	tion searched other than minimum documentation to the	extent that such documents are included	in the fields searched
SE,DK,F	FI,NO classes as above		
Electronic d	ata base consulted during the international search (name	of data base and, where practicable, search	ch terms used)
WPIL, E	EDOC	······································	
C. DOCU	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.
Х -	US 4351784 A (THOMAS ET AL), 28 (28.09.82)	Sept 1982	1,5,8
Y			2-4,6-7,9-11
Y	Patent Abstract of Japan, abstra (KURARAY CO LTD), 2 August 1	act of JP 1-192871 A .989 (02.08.89)	2-4,6-7,9-11
٨			1,5,8
۸	US 4743494 A (KOMATSU ET AL), 10 (10.05.88)	) May 1988	1-11
X Furth	er documents are listed in the continuation of Box	C. X See patent family annu	ex.
"A" docume	categories of cited documents: ent defining the general state of the art which is not considered if particular relevance	"  later document published after the ir date and not in conflict with the app the principle or theory underlying the	lication but cited to understand
"L" docume cited to	document but published on or after the international filing date ent which may throw doubts on priority claim(s) or which is a establish the publication date of another citation or other	"X" document of particular relevance: the considered novel or cannot be considered when the document is taken alo	dered to involve an inventive
"O" docume	reason (as specified) ent referring to an oral disclosure, use, exhibition or other	"Y" document of particular relevance: the considered to involve an inventive st	ep when the document is
	ent published prior to the international filing date but later than only date claimed	combined with one or more other su being obvious to a person skilled in	the art
	e actual completion of the international search	"&" document member of the same pater.  Date of mailing of the international	<del></del>
	,	j	acarett report
30 Sep	t 1998	2 5 -10- 1998	
1	mailing address of the ISA Patent Office	Authorized officer	
Box 5055	S. S-102 42 STOCKHOLM	Björn Salén	
L	No. + 46 8 666 02 86 SA 210 (second sheet) (July 1992)	Telephone No. + 46 8 782 25 00	
remiret b	are rear regional successfully 17721		

## INTERNATIONAL SEARCH REPORT

International application No.
PCT/SE 98/01238

		PC1/SE 98/	J1238
C (Continu	tation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relev	ant passages	Relevant to claim No
۸	EP 483859 A1 (KIMBERLY-CLARK CORPORATION), 6 N 1992 (06.05.92)	1ay	1-11
x	FELLERS, Christer, Norman, Bo. Pappersteknik. Stockholm: KTH, February 1996, third ed. p line 14-18	oage 119	1
-			
		٠	
	A 210 (continuation of second sheet) (July 1992)		

## INTERNATIONAL SEARCH REPORT

Information on patent family members

27/07/98

International application No.
PCT/SE 98/01238

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US	4351784 A	28/09/82	NONE	
US	4743494 A	10/05/88	JP 61124675 A	12/06/86
EP	483859 A1	06/05/92	NONE	



## **REQUEST**

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiv	ing Office use only		
International Application No.	PCT/ SE98/01238		
International Filing Date	2 5 -08- 1998		
	nal Application		
Name of receiving Office and "PCT International Application"			

	Applicant's or agent's file refe (if desired) (12 characters maxin	
Box No. I TITLE OF INVENTION  LIQUID-PERMEABLE COVER SHEET FOR AB	SORBENT ARTICLE	
Box No. II APPLICANT		
Name and address: (Family name followed by given name; for a legal et The address must include postal code and name of country. The country of Box is the applicant's State (i.e. country) of residence if no State of residence.	ntiry, full official designation. The address indicated in this nee is indicated below.)	This person is also inventor.
SCA Mölnlycke AB	Tele	phone No.
S-405 03 GÖTEBORG Sweden	Facs	imile No.
	Tele	printer No.
State (i.e. country) of nationality: SE	State (i.e. country) of residen	se:
This person is applicant all designated all designate for the purposes of:		ed States the States indicated in the Supplemental Box
Box No. III FURTHER APPLICANT(S) AND/OR (FURT	HER) INVENTOR(S)	
Name and address: (Family name followed by given name; for a legal enter the address must include postal code and name of country. The country of Box is the applicant's State (i.e. country) of residence if no State of residence OLOFSSON Ulla  Myrvägen 22  S-430 94 BOHUS-BJÖRKÖ  Sweden	ine aim est indicated below.)	his person is:  applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)
State (i.e. country) of nationality:	State (i.e. country) of residen	ce: SE
	i States except the Units ates of America	the States indicated in the Supplemental Box
X Further applicants and/or (further) inventors are indicated o	n a continuation sheet.	
Box No. IV AGENT OR COMMON REPRESENTATIVE	OR ADDRESS FOR CORR	ESPONDENCE
The person identified below is hereby/has been appointed to act or of the applicant(s) before the competent International Authorities	as:	common representative
Name and address: (Family name followed by given name; for a legal of The zidress must include postal code and name of GRAUDUMS Valdis, MOSSMARK Anders, KRISTIANSEN Alf P., HARRISON Michael, RANDERSSON Per Albihns Patentbyrå Göteborg AB	country.) +4 OMARE Anette, Facsi	none No. 6 31 600 100 mile No. 6 31 711 95 55
Box 142 S-401 22 GÖTEBORG	Telep	minter No.
Mark this check-box where no agent or common representation indicate a special address to which correspondence should be	ve is/has been appointed and the sent.	e space above is used instead to



Continuation of Box No. III FURTHER APPLICANTS AND/OR (FURTHER)	INVENTORS			
If none of the following sub-boxes is used, this sheet is not to be included in the request.				
Name and address: (Family name followed by given name: for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in the Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)  CHRISTIANSEN Karin Assedalsgatan 4 S-511 63 SKENE Sweden  State (i.e. country) of nationality:  State (i.e. country) of SE	This person is:  applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)			
This person is applicant all designated all designated States except for the purposes of:  all designated the United States of America	the United States of America only the States indicated in the Supplemental Box			
Name and address: (Family name followed by given name: for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in the Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)  CHIHANI Thami.  Råda Portar 7  S-435 32 MÖLNLYCKE Sweden	This person is:  applicant only  X applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)			
State (i.e. country) of nationality:  State (i.e. country) of SE	f residence: SE			
This person is applicant all designated states except for the purposes of:	the United States the States indicated in of America only the Supplemental Box			
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in the Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)	This person is:  applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)			
State (i.e. country) of nationality:  State (i.e. country) of	residence:			
This person is applicant all designated all designated States except for the purposes of:	the United States of America only the States indicated in the Supplemental Box			
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in the Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)	This person is:  applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)			
State (i.e. country) of nationality: State (i.e. country) of	residence:			
This person is applicant for the purposes of:  all designated the United States except the United States of America	the United States the States indicated in of America only the Supplemental Box			
Further applicants and/or (further) inventors are indicated on another continuation	sheet.			

2 5 -08- 199R

Box N	io.V	DESIGNATION OF STATES			<del>-</del>
The fo	llowi	ng designations are hereby made under Rule 4.9(a) (	mark ti	he appl	icable check-boxes; at least one must be marked):
Regio				, ,	,
Ø			a, LS tractir	Lesoth	no. MW Malawi, SD Sudan, SZ Swaziland, UG Uganda, se of the Harare Protocol and of the PCT
図	EA	Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT			
X	EP	ES Spain, FI Finland, FR France, GB United Kingd	om. G	R Gre	zerland and Liechtenstein, DE Germany, DK Denmark, ece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, which is a Contracting State of the European Patent
	OA	A OAPI Patent: BF Burkina Faso. BJ Benin. CF Central African Republic. CG Congo. CI Côte d'Ivoire, CM Cameroon. GA Gabon, GN Guinea, ML Mali, MR Mauritania. NE Niger. SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)			
Natio	nal P	atent (if other kind of protection or treatment desired	i, spec	ify on	dotted line):
₩.		Albania	. ⊠		Lithuania
G	AM	Armenia	$\mathbf{\Sigma}$	LU	Luxembourg
図	ΑT	Austria	$\boxtimes$	LV	Latvia
$\overline{\mathbf{x}}$		Australia	$\boxtimes$	MD	Republic of Moldova
$\overline{\mathbf{x}}$	ΑZ	Azerbaijan	$\boxtimes$	MG	Madagascar
X	BA	Bosnia and Herzegovina	$\boxtimes$	MK	The former Yugoslav Republic of Macedonia
X	BB	Barbados			
Z)	BG	Bulgaria	X	MN	Mongolia
<b>S</b>	BR	Brazil	<b>S</b>	MW	Malawi
X	BY	Belarus		MX	Mexico
X	CA	Canada		NO	Norway
€	CH	and LI Switzerland and Liechtenstein	$\mathbf{x}$	NZ	New Zealand
[3]	CN	China	$\boxtimes$	PL	Poland
[3]	CU	Cuba	$\boxtimes$	PT	Portugal
X	CZ	Czech Republic	图	RO	Romania
□ <b>Z</b>	DE	Germany	$\mathbf{g}$	RU	Russian Federation
X	DK	Denmark	$\mathbf{g}$	SD	Sudan
X	EE	Estonia	$\mathbf{Z}$	SE	Sweden
$\boxtimes$	ES	Spain	$\mathbf{z}$	SG	Singapore
X	FI	Finland	Ø	SI	Slovenia
X		United Kingdom	$\boxtimes$	SK	Slovakia
X	GE	Georgia	$\square$	SL	Sierra Leone
₩	GH	Ghana		TJ	Tajikistan
$\mathbf{\Sigma}$	GM	Gambia	$\mathbf{x}$	TM	Turkmenistan
図	GW	Guinea-Bissau	<b>S</b>	TR	Turkey
$\boxtimes$	HU	Hungary		TT	Trinidad and Tobago
$\boxtimes$	$\mathbf{m}$	Indonesia		UA	Ukraine
$\boxtimes$	IL	Israel	Ø		Uganda
Ø	IS	Iceland	X	US	United States of America
X	JP	Japan	_		***
$\mathbf{\Sigma}$		Kenya	X		Uzbekistan
፟		Kyrgyzstan	X		Viet Nam
	KP	Democratic People's Republic of Korea	X		Yugoslavia
_			X		
		Republic of Korea	Che	ck-box	ces reserved for designating States (for the purposes of
		Kazakhstan	a na issu:	uonai ance o	patent) which have become party to the PCT after f this sheet:
		Saint Lucia			
		Sri Lanka			
		Liberia			
<u> 8</u>		Lesotho	_		
under	the Di	T except the decignation(s) of			Rule 4.9(b) all designations which would be permitted
The ar	nlica	or declares that those additional designations are subje	ect to	onfir	mation and that any designation which is not confirmed
hefore	the e	voiration of 15 months from the priority date 15 to be r	egard	ectas v	Mindrawn by the applicant at the expiration of that this
limit.	limit. (Confirmation of a designation consists of the filing of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.)				
jees. C	սոյոտա	ation wast Learn are Leceivark Office within the 13-wounting the			

Sheet No. .....

PCT/ SE98 / 0 1 2 3 8 2 5 -08- 1998

Box No. VI PRIORITY C	LAIM	Fu	ther priority clair	ms are indica	ted in the Sup	oplemental Box
The priority of the following ex	ulier application(s) is hereby	y claimed	l:			
Country (in which, or for which, the application was filed)	Filing Date (day/month/year)		Applic	ation No.	lo inter	Office of filing only for regional or reactional application)
item (1) SE	03.07.1997 3 July 1997		9702572	2-0		
item (2)		<u> </u>				
item (3)						
Mark the following check-box if the application is the receiving Office (a  The receiving Office is h Bureau a certified copy of	certified copy of the earlier applied fee may be required): ereby requested to prepare a fifther earlier application(s) in	ınd transı	nit to the Internal	rional	the purposes of	the present international
Box No. VII INTERNATIO	NAL SEARCHING AUTI	HORITY	?			
Choice of International Sear	national search, indicate the Aut	thority cho	sen; the two-letter	code may be u	red): 15A L	
I are an exercised and the Authoria i	Earlier search Fill in where a search (international, international-type or other) by the International Searching Authority has already been carried out or requested and the Authority is now requested to base the international search, to the extent possible, on the results of that earlier search. Identify such search or request either by reference to the relevant application (or the translation thereof) or by reference to the search request:  Country (or regional Office):  Date (day/month/sear):  Number:					
Box No. VIII CHECK LIST	•					
This international application contains the following number of sheets:  1. request : 4 sheets \( \)  2. description : 14 sheets \( \)  3. claims : 2 sheets \( \)  4. abstract : 1 sheets \( \)  5. claims : 2 sheets \( \)  7. copy of general power of attorney deposited microorganisms  3. claims : 2 sheets \( \)  4. abstract : 1 sheets \( \)  5. drawings : 2 sheets \( \)  Total : 23 sheets \( \)  Total : 23 sheets \( \)  8. \( \)  Total : 23 sheets \( \)  8. \( \)  Total : 23 sheets \( \)  8. \( \)  Total : 23 sheets \( \)  8. \( \)  Total : 23 sheets \( \)  8. \( \)  Total : 23 sheets \( \)  8. \( \)  Total : 24 sheets \( \)  9. \( \)  Total : 25 sheets \( \)  1. \( \)						
Göteborg, 24 June 1998  Mic Laure  Anette Romare						
Date of actual receipt of the international application:     Corrected date of actual rectimely received papers or dithe purported international at Date of timely receipt of the corrections under PCT Articles.     International Searching Autospecified by the applicant:	purported 2 5 eipt due to later but awings completing application: e required cle 11(2):	-06-	1998 Transmitta	of search co	opy delayed	2. Drawings:    received:   not received:
Date of receipt of the record co	For Interr		Bureau use only -		( 2 7. 0	7. 98 )

1

5 TITEL:

VÄTSKEGENOMSLÄPPLIGT HÖLJESSKIKT TILL ABSORBERANDE ALSTER

TEKNISKT OMRÅDE:

10

Uppfinningen hänför sig till ett vätskegenomsläppligt höljesskikt till ett absorberande alster såsom en blöja, ett inkontinensskydd, en dambinda eller liknande, vilket höljesskikt innefattar åtminstone ett första materiallager.

15

20

25

30

35

40

#### **BAKGRUND:**

Det vätskegenomsläppliga höljesskiktet är avsett att vid användningen av det absorberande alstret anligga mot användarens kropp, vilket medför att detta skikt först tar utsöndrade kroppsvätskan. För att den undvika vätskeläckage, är det väsentligt att det vätskegenomsläppliga höljesskiktet kan ta emot en stor vätskemängd under en kort tidsperiod. Vidare är väsentligt att höljesskiktet tål upprepad vätning, d v s kan bibehålla vätskegenomsläppligheten då alstret utsatts för ett flertal vätningar.

Såsom vätskegenomsläppliga höljesskikt är det vanligt och filmmaterial. Sådana förekommande med nonwoven vanligtvis framställda av syntetiska höljesskikt är material som i sig själva är hydrofoba. För att erhålla vätskegenomsläpplighet är det vanligt att sådana material vätmedelbehandlas. Plastfilmer som används vätskegenomsläppliga höljesskikt måste dessutom hålgöras för att bli vätskegenomsläppliga. Det förekommer emellertid perforeras nonwovenmaterial för att öka även att vätskegenomsläppligheten. Det är emellertid svårt åstadkomma ett hålgjort hydrofobt material, vid vilket risken för läckage är helt eliminerad.

Vätmedelbehandling åstadkomms vanligen genom beläggning av det hydrofoba materialet med ett ytaktivt ämne, såsom exempelvis en tensid. Härigenom skapas ett hydrofilt höljesskikt. För att ett material skall anses vara vätskegenomsläppligt, krävs att ytenergin för den aktuella vätskan är lägre än den kritiska ytenergin för materialet. Detta erhålls genom att de ytaktiva föreningarna löser sig i vätskan och minskar ytenergin på vätskan och/eller genom att de ytaktiva föreningarna binds till materialets yta, vilket resulterar i en ökad kritisk ytenergi på materialet.

Ett problem vid användning av höljesskikt belagda med ett ytaktivt ämne, är att sådana höljesskikt uppvisar försämrad vätskegenomsläpplighet vid upprepad vätning. Det beror på att de ytaktiva föreningarna, vilka ej är fast förankrade till höljesskiktets yta löser siq kroppsvätskan vid den första vätningen. Vid påföljande vätning har mängden tensid på höljesskiktets yta därmed väsentligen reducerats vilket resulterar i en minskad vätskegenomsläpplighet. Ett annat problem vid användning av alster med tensidbelagda höljesskikt, är att de ytaktiva föreningarna kan skapa hudirritationer genom från höljesskiktet till användarens Ytterligare ett problem med sådana höljesskikt, är att de ytaktiva föreningarna under lagringstiden även migrerar från höljesskiktet till den innanförliggande absorberande strukturen, vilket resulterar i att höljesskiktet även vid första vätningen uppvisar otillräcklig vätskegenomsläpplighet.

30

35

5

10

15

20

25

EΡ 0,483,859 vätskegenomsläppligt beskriver ett höljesskikt, vilket för att tåla upprepad vätning coronabehandlingen coronabehandlats. Vid höljesskiktet med en plasma, vilket är en gas som tillförts så mycket energi att den helt eller delvis joniserats. Materialytans kontakt med den energirika gasen resulterar

bildas på materialytan. Därefter radikaler att introduceras olika typer av funktionella grupper, såsom exempelvis syreinnehållande funktionella grupper till materialytan. Vid en sådan behandling skapas således en stabilare hydrofil struktur än då ytan endast är belagd med en ytaktiv förening, utan att föreningen är kemiskt bunden Materialet som coronabehandlats ytan. nonwovenmaterial som utgörs av polypropenfibrer. Emellertid kvarstår vid detta kända höljesskikt problemet med att första vätning vätskegenomsläppligheten, efter en väsentligen reduceras. Ytterligare ett problem med sådana höljesskikt är att det har visat sig att modifieringen inte är åldersbeständig, utan försvagas vid lagring.

En liknande metod för att åstadkomma ett på ytan kemiskt 15 modifierat material är genom plasmabehandling. US 4,743,494 och WO 94/28568 beskriver plasmabehandlade material, vilka för användning exempelvis lämpliga vätskegenomsläppliga höljesskikt. Plasmabehandling ger en mer homogen behandling än coronabehandlingen. I övrigt är 20 corona- och plasmabehandling i det närmaste likvärdiga Vid plasmabehandling skapas såsom vid behandlingar. coronabehandling således ett kemiskt ytmodifierat material. Även vid vätskegenomsläppliga höljesskikt behandlade på detta vis kvarstår emellertid fortfarande problemet med att 25 erhålla en stabil hydrofil yta, d v s en yta som förblir hydrofil även efter upprepad vätning.

#### BESKRIVNING AV UPPFINNINGEN:

30

5

10

Med föreliggande uppfinning har emellertid åstadkommits ett vätskegenomsläppligt höljesskikt av det inledningsvis omtalade slaget, uppvisande god vätskegenomsläpplighet även efter upprepad vätning av alstret.

Ett vätskegenomsläppligt höljesskikt enligt uppfinningen innefattar åtminstone ett första materiallager vilket kännetecknas av att materiallagrets yta huvudsakligen utgörs av polyeten som behandlats med plasma eller corona för att uppnå varaktig hydrofilicitet.

5

10

15

30

Det har för corona och plasmabehandlade material visat sig, att olika material uppvisar betydande skillnader i den uppnådda förmågan att bibehålla vätskegenomsläppligheten vid upprepad vätning. Vid användning av corona- eller plasmabehandlade material som vätskegenomsläppliga höljesskikt till absorberande alster, har det visat sig att vätskegenomsläppligheten vid upprepad vätning väsentligen bättre för material med en yta av polyeten än för material med en yta av polypropen. Vidare har det visat behandlat polyetenmaterial uppvisar huvudsakligen oförändrad vätskegenomsläpplighet efter att alstret lagrats en längre tid.

20 Enligt en fördelaktig utföringsform utgörs det första materiallagret av ett nonwovenmaterial. Nonwovenmaterialet innefattar fibrer med en yta av polyeten. Exempelvis utgörs fibrerna av bikomponentfibrer bestående av en kärna av polypropen eller polyester och ett omslutande hölje av polyeten.

annan utföringsform utgörs det materiallagret av en perforerad plastfilm som är coronaeller plasmabehandlad. Genom att den behandlade ytan huvudsakligen utgörs av polyeten uppvisar filmen hydrofila fast förankrade på plastytan. vilka är filmytan grupperna på resulterar att vätsketransporten genom perforeringarna underlättas.

35 Ytterligare en utföringsform uppvisar ett vätskegenomsläppligt höljesskikt vilket utgörs av flera

•

materiallager. Företrädesvis utgörs höljesskiktet av två lager. Det första materiallagret är uppbyggt enligt något utföringsformerna. ovannämnda av materiallagret uppvisar en yta huvudsakligen av polypropen. Det andra materiallagret är företrädesvis ett nonwoven vilket ej är plasma- eller coronabehandlat. Det andra materiallagret är lämpligen beläget längst bort från absorptionskroppen, d v s närmast användaren. Genom att det andra materiallagret uppvisar en gles struktur med en mellan 6-20  $g/m^2$ , uppvisar fiberstrukturen ytvikt håligheter genom vilka vätskan kan passera för att nå det innanförliggande, hydrofila, första materiallagret. Således erhålls en hydrofob och torr yta närmast användaren. även möjligt att corona-Naturligtvis är det plasmabehandla det andra materiallagret. Vidare är det användningen skiktet att vid av som vätskegenomsläppligt hölje till ett absorberande alster placera det andra materiallagret närmast den absorberande varianter beskrivs utförligare strukturen. Dessa efterföljande utföringsformer och -exempel.

5

10

15

20

25

30

35

Föreliggande uppfinning omfattar vidare ett absorberande alster såsom en blöja, ett inkontinensskydd, en dambinda eller liknande, innefattande en absorptionskropp innesluten mellan ett vätsketätt höljesskikt och ett vätskegenomsläppligt höljesskikt, vätskegenomsläppliga höljesskikt innefattar åtminstone ett första materiallager uppvisande en materialyta vilken huvudsakligen utgörs av polyeten. Materiallagret har för vätskegenomsläpplighet plasma eller att uppnå coronabehandlats.

En utföringsform omfattar ett absorberande alster, vilket kännetecknas av att det vätskegenomsläppliga höljesskiktet även innefattar ett andra materiallager. Enligt en sådan utföringsform är det första materiallagret beläget närmast

5

10

15

20

25

30

35

absorptionskroppen och det andra materiallagret beläget längst från absorptionskroppen. Det andra materiallagret utgörs företrädesvis av ett glest uppbyggt nonwoven av polypropen vilket ej är corona- eller plasmabehandlat. Obehandlad nonwoven av polypropen är i sig hydrofob, vilket innebär att ytan närmast användaren förblir torr även efter vätning. Vidare är det andra materiallagret glest uppbyggt, med en ytvikt mellan 6-20 g/m², vilket resulterar i att fiberstrukturen uppvisar håligheter genom vilka vätska kan att nå det innanförliggande passera för materiallagret. Det är även möjligt att perforera det andra åstadkomma den önskade materiallagret för att vätskegenomsläppligheten. Det första materiallagret, d v s den innanförliggande fiberstrukturen, fungerar vid denna utföringsform som ett dräneringsmaterial, vilket att dränera det övre materiallagret närmast användaren på vätska. Det första materiallagret utgörs företrädesvis av ett nonwoven. För att erhålla ett första materiallager som snabbt tar upp vätska från det närmast användaren belägna materiallagret utgörs nonwovenmaterialet exempelvis en bulkiq, vaddliknande struktur, av perforerad plastfilm, eller liknande.

Det är även möjligt att corona- eller plasmabehandla det andra materiallagret. Genom att materialet huvudsakligen polypropenfibrer förblir de hydrofila består av inte lika föreningarna på polypropenfiberytan förankrade till ytan som de hydrofila föreningar som skapas då behandlingen utförs på en yta av polyeten. Det innebär grupper vid vätningen löser siq att hydrofila sänker ytspänningen på kroppsvätskan och resulterande i att vätskan lättare absorberas av den innanförliggande absorberande strukturen. En annan fördel är plasmadenna utföringsform att coronabehandlingen kan utföras efter att det första och det andra materiallagret laminerats ihop. För att vätska ska

7

passera det andra, närmast användaren belägna materiallagret vid påföljande vätningar utgörs det andra materiallagret företrädesvis av ett glest, eller hålgjort nonwoven. Det andra materiallagret kan även utgöras av en perforerad film, ett nätmaterial, eller liknande.

Enligt ännu en utföringsform är det absorberande alstret utformat så att det andra materiallagret är beläget närmast absorptionskroppen och det första materiallagret är beläget längst från absorptionskroppen. Företrädesvis är båda materiallagren corona- eller plasmabehandlade för att öka vätskegenomsläppligheten. Det andra materiallagret utgörs, såsom tidigare beskrivet, av en yta huvudsakligen av polypropen. En fördel med denna utföringsform är att det andra materiallagret vid användning av alstret ej kommer i direkt kontakt mot användaren, vilket reducerar risken för att de hydrofila grupperna efter en första vätning verkar irriterande mot användarens hud.

#### 20 KORT BESKRIVNING AV FIGURER:

Uppfinningen ska i det följande beskrivas närmare under hänvisning till de utföringsexempel som visas på bifogade ritningar.

25

5

10

15

- Fig. 1 visar ett vätskegenomsläppligt höljesskikt enligt uppfinningen
- Fig. 2 visar ytterligare ett vätskegenomsläppligt höljesskikt enligt uppfinningen
  - Fig. 3 visar en blöja sedd från den sida som vid användningen är avsedd att vara vänd mot användaren

#### BESKRIVNING AV UTFÖRINGSEXEMPEL:

5

10

15

35

Det i figur 1 visade vätskegenomsläppliga höljesskiktet 1, består av ett materiallager 2, vilket utgörs av ett nonwovenmaterial med fibrer med en fiberyta huvudsakligen av polyeten. Materiallagret 2 har, för att åstadkomma varaktig hydrofilicitet, corona- eller plasmabehandlats. Vid corona- eller plasmabehandlingen ytmodifieras materialet så att hydrofila grupper kemiskt binds till materiallagrets 2 yta.

Materialet 2 corona- eller plasmabehandlas företrädesvis efter att fibrerna formats till en nonwovenstruktur. Behandlingen sker därvid antingen enbart från den ena av materiallagrets 2 sidor, eller från båda sidorna av materiallagret 2. Det är emellertid även möjligt att plasmabehandla fibrerna i materiallagret 2 före själva formningen av fibrerna till ett nonwovenmaterial.

är LDPE polyeten på olika typer av 20 Exempel (lågdensitetspolyeten), HDPE (högdensitetspolyeten) och LLDPE (låg-linjärdensitetspolyeten). Exempel på användbara fibrer är bikomponentfibrer med en kärna av polypropen eller polyester och ett hölje av polyeten. Naturligtvis kan fibrerna alternativt bestå enbart av polyeten, av olika 25 eller samma typ. För att erhålla önskade fiberegenskaper, det även möjligt att använda polyeteninnehållande sampolymerer, exempelvis polyeten innehållande en liten eller akrylat, eller acetat. Akrylatacetetkomponenten medför att materialet blir mer elastiskt. 30 Vidare har det för plasma- och coronabehandling visat sig att metallocenekatalyserade polyetener är väl lämpade för ändamålet.

För att ett nonwovenmaterial av spunbond skall uppvisa en hög jämnhet och därmed även en hög dragstyrka, är sådana material uppbyggda av två olika skikt. För att tillverka

ett spunbondmaterial bestående av två skiktliknande strukturer, tillförs material från två i processen efterföljande extrudrar. Ett sådant framställningssätt gör det möjligt att tillverka ett spunbondmaterial bestående av ett skikt av polypropen och ett skikt av polyeten.

5

10

15

20

25

30

35

Naturligtvis är inte materiallagret 2 begränsat till spundbondmaterial, utan kan givetvis även vara andra nonwovenmaterial såsom kardade material, eller material tillverkade på något annat sätt. Det är även möjligt att materiallagret 2 utgörs av en perforerad film av polyeten.

Det i figur 2 visade vätskegenomsläppliga höljesskiktet 201 består av två materiallager. Det första materiallagret 202 liknar det i figur 1 beskrivna materiallagret 2 och utgörs således av ett corona- eller plasmabehandlat nonwoven med fibrer med en yta av polyeten. Det andra materiallagret 204 utgörs av ett nonwovenmaterial huvudsakligen uppbyggt av polypropenfibrer. Det andra materiallagret 204 är ett glest nonwoven med en ytvikt mellan 6-20 g/m². Naturligtvis kan det andra materiallagret 204 även innehålla andra hydrofoba fibrer, eller fiberblandningar av två eller flera olika fibertyper, såsom exempelvis olika typer av polyestrar, även möjligt att nylon. Det är 204 utgörs av en perforerad film materiallagret polypropen.

blöjan 300 innefattar visade ett figur 3 Den i vätskegenomsläppligt höljesskikt 301 enlighet med uppfinningen, ett vätsketätt höljesskikt 303, samt en däremellan innesluten absorptionskropp 305. Det vätsketäta höljesskiktet 303 kan bestå av en vätsketät plastfilm, ett nonwovenskikt som belagts med ett vätskespärrande material, eller något annat lättböjligt materialskikt som motstår vätskepenetration. Det är i allmänhet en fördel om det vätsketäta höljesskiktet 303 har en viss andningsbarhet, d v s tillåter passage av vattenånga. De båda höljesskikten 301,303 har en något större utsträckning i planet än absorptionskroppen 305 och sträcker sig ett stycke ut förbi absorptionskroppens 305 kanter kring hela dennas periferi. Höljesskikten 301,303 är inbördes förbundna inom de utskjutande partierna 307, exempelvis med limning eller svetsning med värme eller ultraljud.

5

10

15

20

25

30

35

Absorptionskroppen 305 är vanligen uppbyggd av ett eller cellulosafibrer, flera skikt av exempelvis cellulosafluffmassa. Absorptionskroppen 305 kan förutom cellulosafibrer även innehålla superabsorberande material, d v s material i form av fibrer, partiklar, granulat, film eller liknande vilket har förmåga att absorbera vätska motsvarande flera gånger det superabsorberande materialets Superabsorberande material binder vikt. absorberande vätskan och bildar därvid en vätskehaltig gel. Vidare kan absorptionskroppen 305 innefatta bindemedel, formstabiliserande komponenter, eller liknande. Ytterligare absorptionsskikt som förbättrar absorptionsegenskaperna kan även användas, såsom olika typer av vätskespridande inlägg, eller materialskikt. Absorptionskroppen 305 kan behandlas eller fysikaliskt för att kemiskt absorptionsegenskaperna. Det är exempelvis vanligt att förse ett absorptionsskikt med komprimeringar för att styra vätskeflödet i absorptionskroppen 305. Vidare kan andra typer av absorptionsmaterial utnyttjas, ensamma eller i kombination med cellulosafibrer och superabsorberande material. Exempel på användbara absorberande material är absorberande nonwovenmaterial, skum eller liknande.

Blöjan 301 har vidare två längsgående sidokanter 323,325, en främre ändkant 309 och en bakre ändkant 311, samt uppvisar ett framparti 313, ett bakparti 315 och ett mellan frampartiet 313 och bakpartiet 315 beläget smalare grenparti 317.

Vidare är elastiska organ 319,321 anordnade utmed sidokanterna 323,325, vid blöjans grenparti 317. Dessa elastiska organ 319,321 tjänar vid användningen av blöjan till att hålla denna i tätande anliggning kring användarens ben. Ett ytterligare elastiskt organ 327 är anordnat utmed den bakre ändkanten 311 och är avsett att ge blöjan 300 viss töjbarhet och tjäna som tätningsorgan för blöjan kring användarens midja.

5

25

30

35

En tejpflik 329,331 är anbragt vid vardera sidokanten 10 323,325, nära den bakre ändkanten 311. Tejpflikarna 329,331 utgör hopfästningsorgan för blöjan 300 och medger att denna kan fästas samman så att den på ett byxliknande vis omsluter den nedre delen av en användares bål. Tejpflikarna 329,331 samverkar med ett mottagningsområde 333 på blöjans 15 vätsketäta höljesskikt 303 vid frampartiet Mottagningsområdet 333 kan exempelvis utgöras av ett förstärkningsmaterial, vilket laminerats till det vätsketäta höljesskiktet 303. Genom förstärkningen kan och öppnas igen, 20 300 tillslutas utan att blöjan tejpflikarnas 329,331 vidhäftningsförmåga förstörs, eller det vätsketäta höljesskiktet 303 rivs sönder.

Naturligtvis kan en rad andra typer av hopfästningsorgan användas istället för de beskrivna tejpflikarna 329,331. Exempel på alternativa hopfästningsorgan är kardborreytor, tryckknappar, knytband, eller liknande.

Blöjans vätskegenomsläppliga höljesskikt 301 är uppbyggt av ett första materiallager 302 och ett andra materiallager 304. Det första materiallagret 302 är anbragt närmast absorptionskroppen 305 och det andra materiallagret 304 är vid användningen av alstret anbragt närmast mot användaren. Det första materiallagret 302 är uppbyggt såsom materiallager 2 enligt figur 1 och består således av ett nonwoven huvudsakligen uppbyggt av fibrer med en yta av

polyeten, eller en perforerad plastfilm med en yta av för att erhålla polveten som varaktig vätskegenomsläpplighet är corona- eller plasmabehandlad. Det första materiallagret 302 kan vidare utgöras av en vaddstruktur huvudsakligen bestående av fibrer med en yta av polyeten, vilken för att erhålla varaktig hydrofilicitet corona- eller plasmabehandlats. Det andra materiallagret 304 är uppbyggt såsom det i figur 2 visade materiallagret 204. Det andra materiallagret 304 är således nonwovenmaterial huvudsakligen uppbyggt polypropenfibrer. Företrädesvis är det andra materiallagret 304 ej corona- eller plasmabehandlat då det anligger närmast mot användaren, men naturligtvis är det även möjligt att behandla det med corona eller plasma. För att erhålla vätskegenomsläpplighet utgörs det av ett glest eller hålgjort nonwoven. Vidare är det möjligt att det andra materiallagret 304 är uppbyggt av en perforerad plastfilm.

Det är även möjligt att det andra materiallagret 304 är beläget närmast absorptionskroppen 305 och det första materiallagret 302 är beläget längst från absorptionskroppen 305.

#### 25 <u>Exempel 1 - ESCA</u>

För att undersöka materialytans kemiska sammansättning utfördes elektronspektroskopisk kemisk analys, ESCA, på följande material:

30

5

10

15

- 1. Plasmabehandlad nonwoven av polypropenfibrer
  - a. Före tvätt
  - b. Efter tvätt
- 2. Plasmabehandlad nonwoven av bikomponentfibrer, fiberkärna av polypropen och fiberhölje av polyeten

- a. Före tvätt
- b. Efter tvätt
- Plasmabehandlad nonwoven av bikomponentfibrer, fiberkärna av polyester och fiberhölje av polyeten
  - a. Före tvätt
  - b. Efter tvätt
  - 4. Obehandlad nonwoven av:

10

5

- a. polypropenfibrer
- b. bikomponentfibrer, fiberkärna av polypropen och fiberhölje av polyeten.
- c. bikomponentfibrer, fiberkärna av polyester och fiberhölje av polyeten.

15

Materialet tvättas genom att det läggs i en behållare med destillerat vatten. Det destillerade vattnet har en temperatur som är 37°C. Materialet får ligga i vattnet i 15 sekunder och tas därefter upp och plantorkas.

20

Vid ESCA röntgenbestrålas materialytan. Den energirika röntgenbestrålningen resulterar i att elektroner från materialytans komponenter emitteras. Enligt följande samband erhålls elektronens bindningsenergi:

25

35

$$\mathbf{E}_{\mathsf{b}} = \mathbf{h} v - \mathbf{E}_{\mathsf{k}}$$

 $E_b$  = elektronens bindningsenergi

 $E_k$  = elektronens rörelseenergi

hv = bestrålningsenergi

Intensiteten på röntgenbestrålningen är vid mätningen känd och elektronens rörelseenergi erhålls genom att mäta elektronens hastighet. Således erhålls ett mått på den emitterade elektronens bindningsenergi, vilket innebär att ytans kemiska sammansättning kan identifieras.

14

Följande syre/kol-förhållande, O/C, erhölls:

	Prov	<u>0/C</u>
	la	0,19
5	1b	0,08
	2 a	0,26
	2b	0,23
	3a	0,29
	3b	0,24
10	4a	0,007
	4b	0,02
	4c	0,007

Resultaten visar att andelen syreinnehållande föreningar på 15 materialytan är högst för material 2 och 3, d v s material fiberhölje polyeten. Detta innebär av polyetenytorna plasmabehandlade uppvisar högre eller vätbarhet hydrofilicitet, än plasmabehandlade polypropenytor. Vidare bibehåller material 20 2 och 3 ett högt O/C-förhållande även efter att strukturen tvättats, vilket betyder att polyeten är överlägset polypropen när det gäller att bibehålla vätbarheten efter vätning.

Uppfinningen skall inte anses vara begränsad till de här beskrivna utföringsformerna, utan en rad ytterligare varianter och modifikationer är möjliga inom ramen för de efterföljande patentkraven. Vidare är alla tänkbara kombinationer av de beskrivna utföringsformerna avsedda att omfattas av uppfinningen.

#### PATENTKRAV

1. Ett vätskegenomsläppligt höljesskikt (1,201,301) till absorberande alster såsom en blöja (300), inkontinensskydd, en dambinda eller liknande vilket höljesskikt innefattar åtminstone ett första materiallager, kännetecknat a v att det första materiallagrets (2) yta huvudsakligen utgörs av polyeten som behandlats med plasma eller corona och därigenom uppvisar en hydrofil yta.

15

10

5

2. Ett vätskegenomsläppligt höljesskikt enligt krav 1, k ä n n e t e c k n a t a v att det första materiallagret (2) utgörs av ett nonwovenmaterial varvid åtminstone fibrernas yta huvudsakligen utgörs av polyeten.

20

3. Ett vätskegenomsläppligt höljesskikt enligt föregående krav, känne tecknat av att fibrerna är bikomponentfibrer bestående av en kärna av polypropen och ett omslutande hölje av polyeten.

25

4. Ett vätskegenomsläppligt höljesskikt enligt krav 2, k ä n n e t e c k n a t a v att fibrerna är bikomponentfibrer bestående av en kärna av polyester och ett omslutande hölje av polyeten.

30

- 5. Ett vätskegenomsläppligt höljesskikt enligt krav 1, k ä n n e t e c k n a t a v att det första materiallagret (2) utgörs av en perforerad plastfilm.
- 6. Ett vätskegenomsläppligt höljesskikt enligt något av föregående krav och vidare uppvisande ett andra materiallager (204), kännetecknat av att det andra materiallagrets (204) yta huvudsakligen utgörs av polypropen.

7. Ett vätskegenomsläppligt höljesskikt enligt krav 6, kännetecknat av att det andra materiallagret (204) är ett nonwovenmaterial vilket huvudsakligen är uppbyggt av polypropenfibrer.

5

10

15

20

25

30

- 8. Absorberande alster såsom en blöja (300).inkontinensskydd, en dambinda eller liknande innefattande en absorptionskropp (305) innesluten mellan ett vätsketätt höljesskikt (303) och ett vätskegenomsläppligt höljesskikt (301), vilket vätskegenomsläppliga höljesskikt innefattar åtminstone ett första materiallager (302), kännetecknat a v att det första materiallagrets (302) yta huvudsakligen utgörs av polyeten som behandlats med plasma eller corona för att uppnå vätskegenomsläpplighet.
- 9. Absorberande alster enligt föregående krav, kännetecknat av att det vätskegenomsläppliga höljesskiktet innefattar ett andra materiallager (304) vilket uppvisar en materialyta som huvudsakligen utgörs av polypropen.
- 10. Absorberande alster enligt föregående krav, känneteck nat av att det första materiallagret (302) är beläget närmast absorptionskroppen (305) och att det andra materiallagret (304) är beläget längst från absorptionskroppen (305).
- 11. Absorberande alster enligt krav 9, k ä n n e t e c k n a t a v att det andra materiallagret (304) är beläget närmast absorptionskroppen (305) och att det första materiallagret (302) är beläget längst från absorptionskroppen (305).

#### 5 SAMMANDRAG


10

15


Ett vätskegenomsläppligt höljesskikt (1,201,301) till ett alster blöja såsom en (300),absorberande eller liknande vilket inkontinensskydd, en dambinda höljesskikt innefattar åtminstone ett första materiallager (2,202,302) med en yta vilken huvudsakligen utgörs av polyeten som behandlats med plasma eller corona för att uppnå vätskegenomsläpplighet. Uppfinningen omfattar vidare ett absorberande alster med ett vätskegenomsläppligt höljesskikt (1,201,301) enligt uppfinningen.

(Fig. 3 önskas publicerad.)

1/2




*FIG.* 1



*FIG.2* 

2/2



*FIG.3* 



ANKOM

1998 -08- 17 From the INTERNATIONAL BUREAU

#### PCT

#### **NOTIFICATION CONCERNING** SUBMISSION OR TRANSMITTAL OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

GRAUDUMS, Valdis Albihns Patentbyrå Göteborg AB P.O. Box 142 S-401 22 Göteborg **SUEDE** 

IMPORTANT NOTIFICATION
<del></del>
tional filing date (day/month/year) June 1998 (25.06.98)
date (day/month/year) July 1997 (03.07.97)

- The applicant is hereby notified of the date of receipt (except where the letters "NR" appear in the right-hand column) by the International Bureau of the priority document(s) relating to the earlier application(s) indicated below. Unless otherwise indicated by an asterisk appearing next to a date of receipt, or by the letters "NR", in the right-hand column, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- 2. This updates and replaces any previously issued notification concerning submission or transmittal of priority documents.
- An asterisk(\*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b). In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- The letters "NR" appearing in the right-hand column denote a priority document which was not received by the International Bureau or which the applicant did not request the receiving Office to prepare and transmit to the International Bureau, as provided by Rule 17.1(a) or (b), respectively. In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

Priority date

Priority application No.

Country or regional Office or PCT receiving Office

Date of receipt of priority document

03 July 1997 (03.07.97)

9702572-0

SE

27 July 1998 (27.07.98)

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

Telephone No. (41-22) 338.83.38

Facsimile No. (41-22) 740.14.35



1999 -04- 12

#### From the INTERNATIONAL BUREAU PCT NOTIFICATION OF THE RECORDING OF A CHANGE GRAUDUMS, Valdis Albihns Patentbyrå Göteborg AB (PCT Rule 92bis.1 and P.O. Box 142 S-401 22 Göteborg Administrative Instructions, Section 422) SUÈDE Date of mailing (day/month/year) 29 March 1999 (29.03.99) Applicant's or agent's file reference IMPORTANT NOTIFICATION 109417 ARe International application No. International filing date (day/month/year) PCT/SE98/01238 25 June 1998 (25.06.98) 1. The following indications appeared on record concerning: X the applicant the inventor the agent the common representative State of Nationality State of Residence Name and Address SCA MÖLNLYCKE AB SE SE S-405 03 Göteborg Telephone No. Sweden Facsimile No. Teleprinter No. 2. The International Bureau hereby notifies the applicant that the following change has been recorded concerning: the person X the name the address the nationality the residence State of Nationality State of Residence Name and Address SE SCA HYGIENE PRODUCTS AB SE S-405 03 Göteborg Telephone No. Sweden Facsimile No. Teleprinter No. 3. Further observations, if necessary: 4. A copy of this notification has been sent to: the receiving Office the designated Offices concerned the International Searching Authority the elected Offices concerned the International Preliminary Examining Authority other: Authorized officer The International Bureau of WIPO 34, chemin des Colombettes I. Britel 1211 Geneva 20, Switzerland

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35



1999 -02- 1 5

From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To: ROMARE, Anette ALBIHNS PATENTBYRA GÖTEBORG AB Box 142 S-401 22 Göteborg SUEDE		NOTIFICATION OF RECEIPT OF DEMAND BY COMPETENT INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY  (PCT Rules 59.3(e) and 61.1(b), first sentence and Administrative Instructions, Section 601(a))		
		Date of mailing (day/month/year)	<b>1.</b> 02. 99	
Applicant's or agent's file reference 109417 ARe		IMPO	ORTANT NOTIFICATION	
International application No.	International filing date	(day/month/year)	Priority date (day/month/year)	
PCT/SE 98/01238	25/06/1998	<b>3</b>	03/07/1997	
SCA MÖLNLYCKE AB et a		inary Examining Auth	ority considers the following date as the	
date of receipt of the demand for in		amination of the intern	national application:	
the actual date of receip		of this Authority (Rul		
3. ATTENTION: That date of relection(s) made in the deman months from the priority date	d does (do) not have the e e (or later in some Offices) nin 20 months from the pr	ation of 19 months fro ffect of postponing the (Article 39(1)). Therel	om the priority date. Consequently, the entry into the national phase until 30 fore, the acts for entry into the national some Offices) (Article 22). For details, see	
(If applicable) This notion:	fication confirms the infor	mation given by teleph	hone, facsimile transmission or in person	

Name and mailing address of the IPEA,

European Patent Office

D-80298 Munich Tel. ( ÷ 49-89) 2399-0, Tx: 523656 epmu d Fax: ( ÷ 49-89) 2399-4465

Authorizha affina IVIISSON

-88 56 Telephone No.

Only where paragraph 3 applies, a copy of this notification has been sent to the International Bureau.

# PATENT COOPERATION TREATY

55R 15/3-99 Mm 55S 1/6-99 Mm PCT INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY From the: To: ROMARE, Anette ALBIHNS PATENTBYRA GÖTEBORG AB WRITTEN OPINION Box 142 S-401 22 Göteborg (PCT Rule 66) SUEDE Date of mailing 0 1. 03.99 (day/month/year) within 3 month(s) REPLY DUE Applicant's or agent's file reference from the above date of mailing 109417 ARe Priority date (day/month/year) International filing date (day/month/year) International application No. 03/07/1997 25/06/1998 PCT/SE98/01238 International Patent Classification (IPC) or both national classification and IPC A61F13/15 Applicant SCA MÖLNLYCKE AB et al. This written opinion is the first drawn up by this International Preliminary Examining Authority. This opinion contains indications relating to the following items: Basis of the opinion Priority ш □ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability 111 □ Lack of unity of invention Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; IV citations and explanations supporting such statement Certain document cited VI Certain defects in the international application VII ☐ Certain observations on the international application VIII The applicant is hereby invited to reply to this opinion. See the time limit indicated above. The applicant may, before the expiration of that time limit, When? request this Authority to grant an extension, see Rule 66.2(d). By submitting a written reply, accompanied, where appropriate, by amendments, according to Rule 66.3. For the form and the language of the amendments, see Rules 66.8 and 66.9. How? For an additional opportunity to submit amendments, see Rule 66.4. For the examiner's obligation to consider amendments and/or arguments, see Rule 66.4 bis. Also: For an informal communication with the examiner, see Rule 66.6. If no reply is filed, the international preliminary examination report will be established on the basis of this opinion. The final date by which the international preliminary examination report must be established according to Rule 69.2 is: 03/11/1999. Authorized officer / Examiner

Name and mailing address of the international preliminary examining authority:

European Patent Office D-80298 Munich

Tel. (+49-89) 2399-0 Tx: 523656 epmu d

Fax: (+49-89) 2399-4465

Auer, H

Formalities officer (incl. extension of time limits)

Ghellere, M

Telephone No. (+49-89) 2399 2053



International application No. PCT/SE98/01238

1.	Basis	of	the	opinion
• •	Dasis	•		opninon

1.	This opinion has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office
	in response to an invitation under Article 14 are referred to in this opinion as "originally filed".):

	iii response to an invit	anon under Article 14 are reterred to in this opinion as originally mod .y.
	Description, pages:	
	1-14	as originally filed
	Claims, No.:	
	1-11	as originally filed
	Drawings, sheets:	
	1/2-2/2	as originally filed
2.	The amendments have	e resulted in the cancellation of:
	☐ the description,	pages:
	☐ the claims,	Nos.:
	☐ the drawings,	sheets:
3.		established as if (some of) the amendments had not been made, since they have been and the disclosure as filed (Rule 70.2(c)):
4.	Additional observation	s, if necessary:
٧.	Reasoned statement applicability; citation	under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial as and explanations supporting such statement
1.	Statement	
	Novelty (N)	Claims 1
	Inventive step (IS)	Claims 2-11
	Industrial applicability	(IA) Claims
2.	Citations and explana	tions

see separate sheet

#### To point V:

 US-A-4 351 784, see in particular claim 1 and column 4, lines 2-3, discloses already a liquid permeable cover sheet the surface of which consits of of polyethylene which has been treated with corona and has a hydrophilic surface.

Thus, since all features of claim 1 are known from one document the subject-matter of claim 1 is not novel in the sense of Article 33(2) PCT.

Also the document of the search report Fellers, Christer, Norman, Pappersteknik, page 119, lines 14-18 seems to be relevant in this sense.

- 2. Dependent claims 2-7 contains features of well known liquid permeable cover sheets the function of which would be regarded by the skilled person as a normal optional possibility.
  - Claims 2-7 are not in line with Article 33(3) PCT.
- 3. Claims 8-11 contain in substance only repetitions of the previous claims and are, therefore, not in line with Article 33(3) PCT such as set out above.

Our ref: 109417 ARe/ARE

International Patent Application No. PCT/SE98/01238 / Publ. No.

WO 99/01099

Applicant: SCA Hygiene Products AB

#### Please reply to our Göteborg office

European Patent Office D-80298 MÜNCHEN Tyskland

TO THE INTERNATIONAL PRELIMINARY EXAMINATION AUTHORITY

This is in response to the Written Opinion dated 1 March 1999.

The cited reference US 4,351,784 discloses a corona-treatment of a thermoplastic film, such as polyethylene. However, 48-50 4,351,784, col. 3, lines it is stated that thermoplastic material which may be formed into flexible film or sheets may be used in the production of the novel products of the present invention". Accordingly, the unique properties polyethylene in connection with corona treatment have not been previously recognized. Present claim 1 defines a liquid-permeable sheet having surface essentially consisting a polyethylene. Thus, the invention is directed to the selection of polyethylene over other thermoplastic materials for producing a hydrophilic surface by means of corona or plasma treatment. In accordance with the invention, by using polyethylene it is possible to achieve hydrophilic properties significantly exceeding the hydrophilic properties which can be obtained with other thermoplastic materials. There is nothing in the cited document which suggests that polyethylene should be chosen over

#### ALBIHNS PATENTBYRÅ GÖTEBORG AB

European Patent Altorneys and Representatives before the OHIM

Box 142 • Torggatan 8 • SE • 401 22 GÖTEBORG • SWEDEN • Org.No. 556123-0375

Tel +46-(0) 31-725 81 00 • Fax +46-(0) 31-711 95 55 • E-mail: info.goteborg@albihns.se



2

other thermoplastic materials. Rather, the cited document shows away from the invention in that the person skilled in the art is told that all thermoplastic materials work equally well for the purpose of US 4,351,784.

Consequently, claim 1 of the present application defines an invention which is new and presents an inventive step over the cited prior art.

Göteborg, 27 May 1999

Anette Romare